

found should be returned to the taxpayers by reducing the tax rate.

At this point a lengthy resolution was submitted by former Selectman John M. Lovejoy, concluding with:

"Therefore, the Adjourned Meeting of the Annual Town Meeting respectfully requests that the Board of Assessors, when submitting their Tax Rate Recapitulation Form for Fiscal Year 1990 to the State, reflect as accurately as possible the figures used in the FY90 Budget upon which the Override was predicated."

Theodore Trudeau, Chairman of the Board of Assessors explained at length where and how the additional funds were made available. Resolution #1: Submitted by Mr. Everton -- PASSED BY A MAJORITY VOTE.

Resolution #2: Submitted by Mr. Lovejoy -- FAILED TO PASS

Meeting Adjourned at 9:00 p.m.

Attest: MARY A. IRLA, CMC
TOWN CLERK

**SPECIAL TOWN MEETING
June 26, 1989**

Attendance: Precinct A - 8
Precinct B - 20
Precinct C - 23
Precinct D - 18

69

In accordance with the Warrant, as posted, the inhabitants of the Town of Wilbraham, qualified to vote in Town affairs, met in Minnechaug Regional High School. At 7:55 p.m. Moderator Donald F. Bready determined that a quorum was present and the call of the meeting was read by Town Clerk Mary A. Irla.

ARTICLE 1: Finance Committee Recommends. Voted Unanimously that the Town appropriate from Free Cash, the sum of \$17,653, for the purpose of repairing the 1971 Maxim Fire Pumper.

ARTICLE 2: Voted Unanimously that no action be taken on this article. (Appropriation not to exceed \$10,000, for the purpose of making repairs to the 1959 Ward LaFrance Fire Pumper)

Meeting Adjourned 8:00 p.m.

ATTEST: MARY A. IRLA, CMC
TOWN CLERK

Attendance
P
P
P

In accord
Town of
Wilbraham
1989, at

In the a
Mary A.
quorum wa
Town Cler

The fire
moderator
Mary E.
of 4 Bro
Clerk as
nominatio
to have
Howard
Meeting.
sworn in

ARTICLE
special
the pro
(Proposi

Parliame
Of Budge

1. All
Finance
Finance
recommen
consider
signed b
after a
proposes
Committe
other s
Finance
specific
amount
appropri

2. In
be appro
a reduc